

/ Descriptions

WR0<50P M M E SQS Æ M ç s ll 1


/ Features

≈ l ≈ Y

/ Applications

ℱ ∞ ∞ ∞ ∞ ∞ ∞ ∞

/ Equivalent Circuit



/ Pinning




X X X

/ h_{FE} Classifications & Marking

Ƶ ˆ ˆ	Ƶ N	ˆ ˆ ˆ	D Ƶ

Ƶ ˆ ˆ	Ƶ N	ˆ ˆ ˆ	ˆ ˆ ˆ	ˆ ˆ ˆ	ˆ ˆ ˆ	D Ƶ
-------	-----	-------	-------	-------	-------	-----


/ Electrical Characteristic Curve




/ Package Dimensions

TO-92LM

Unit: mm





1. $\hat{L} \square \hat{Y} \quad \hat{K} \quad \dagger \quad \text{H} \quad \hat{K}$ $\dagger$
 2. $\hat{S} \hat{\Theta} \square \hat{Y} \quad \circ \quad \dagger \quad \text{H} \quad \text{Y} \quad \text{H} \quad \circ$ $\circ \quad \dagger \quad \circ$
 3. $\hat{I} \quad \text{Y} \quad \text{H} \quad \hat{Y} \quad \hat{K} \quad \dagger$ $\dagger$

$$\square \overset{\circ}{y} \chi \quad \circ \quad \dagger \quad \text{'H} \overset{\circ}{j} \chi \quad \circ$$