

WR0553I M M E QSQ Æ M y s I I 1

$$M \otimes_R A \cong L \otimes_R B$$

ᲕᲗ Მ Კ Ლ Პ Ჟ Რ Ს Ტ Უ Ფ Ქ Ღ Ყ Შ Ჩ Ც Ძ Წ Ჭ Ხ Ჯ Ჰ Ჱ Ჲ Ჳ Ჴ Ჵ Ჶ Ჷ Ჸ Ჹ Ჺ ᲻ ᲼ Ჽ Ჾ Ჿ Რ Ს Ტ Უ Ფ Ქ Ღ Ყ Შ Ჩ Ც Ძ Წ Ჭ Ხ Ჯ Ჰ Ჱ Ჲ Ჳ Ჴ Ჵ Ჶ Ჷ Ჸ Ჹ Ჺ ᲻ ᲼ Ჽ Ჾ Ჿ

A 3-pin component, likely a sensor or actuator, with pins labeled 1, 2, and 3. The component is black with a circular feature on top.

x

x

x

ՏՄՎԵ՛՛


/ Absolute Maximum Ratings(Ta=25)

V _{CE}	I _C	P _{CE}	θ _{JA}

/ Electrical Characteristics(Ta=25)

V _{CE}	I _C	f _T	η _{CE}	ε _{CE}	ω _{CE}	θ _{JA}
						μ
						μ

/ Electrical Characteristic Curve



/ Package Dimensions

