/ Descriptions

WR0596 Ṃ Ṃ Ƀ SQS Æ Ṁ ч s Ⅱ ㄱ Silicon PNP transistor in a TO-263Plastic Package.

/ Features

₹ 78083 Z ˍ ļ ı ' ڑ ı лъ EU5VG : 4 ; E Й ´

For 45-50W audio frequency amplifier output stage, Complementary to BR2SD718B.

/ Applications

₹ ˍ ļ ۞ ƻ ɔ ت

Designed for use in audio frequency amplifier.

/ Equivalent Circuit



/ Pinning

PIN1 χ Base PIN 2 4 χ Collector PIN 3 χ Emitter

/ h_{FE} Classifications & Marking

h_{FE} Classifications Symbol	R	O
h_{FE} Range	55~110	80~160

/ Electrical Characteristic Curve



/ Package Dimensions



单位：mm

Dimensions In Millimeters		Dimensions In Millimeters		Dimensions In Millimeters	
Symbol	Min	Max	Symbol	Min	Max
A	4.30	4.70	E	9.00	9.40
B	1.00	1.40	e1	2.34	2.74

/ Marking Instructions



ت ˝ χ

EU χ ѭ ϗ И Ґђ

E9 ; ; χ ѭ ϖ N Ґђ

R= ѭ k IH ˋ 6 Ґђ

---- χ ѭ ı ғ ӈ N Ґђ ı ₡ ı ғ ӈ N Ψ ק

Note:

BR: Company Code.

B688: Product Type.

O: h_{FE} Classifications Symbol.

****: Lot No. Code, code change with Lot No.