

BR40P03

LED DC/DC DC/AC

/ Absolute Maximum Ratings(Ta=25)

	d		
	d		

/ Electrical Characteristics(Ta=25)

		ε				
						q
						ε
		ε				


/ Electrical Characteristics(Ta=25)

		α α				
		ε				

/ Package Dimensions

TO-220

单位: mm



Dimensions In Millimeters				Dimensions In Millimeters			
Symbol	Min	Max	Symbol	Min	Max	Symbol	Max
A	9.8	10.2	C	1.2		B	
R	3.56	3.64	B1	9			
L	15.7	16.1	b1	9.6	10.6		
a	1.26	1.36	b2	1.33	1.43		
a1	0.7	0.9	a2	1.25	1.45		
a2	0.4	0.6					
a3	0.4	0.6					
a4	0.4	0.6					
a5	0.4	0.6					
a6	0.4	0.6					
a7	0.4	0.6					
a8	0.4	0.6					
a9	0.4	0.6					
a10	0.4	0.6					
a11	0.4	0.6					
a12	0.4	0.6					
a13	0.4	0.6					
a14	0.4	0.6					
a15	0.4	0.6					
a16	0.4	0.6					
a17	0.4	0.6					
a18	0.4	0.6					
a19	0.4	0.6					
a20	0.4	0.6					
a21	0.4	0.6					
a22	0.4	0.6					
a23	0.4	0.6					
a24	0.4	0.6					
a25	0.4	0.6					
a26	0.4	0.6					
a27	0.4	0.6					
a28	0.4	0.6					
a29	0.4	0.6					
a30	0.4	0.6					
a31	0.4	0.6					
a32	0.4	0.6					
a33	0.4	0.6					
a34	0.4	0.6					
a35	0.4	0.6					
a36	0.4	0.6					
a37	0.4	0.6					
a38	0.4	0.6					
a39	0.4	0.6					
a40	0.4	0.6					
a41	0.4	0.6					
a42	0.4	0.6					
a43	0.4	0.6					
a44	0.4	0.6					
a45	0.4	0.6					
a46	0.4	0.6					
a47	0.4	0.6					
a48	0.4	0.6					
a49	0.4	0.6					
a50	0.4	0.6					
a51	0.4	0.6					
a52	0.4	0.6					
a53	0.4	0.6					
a54	0.4	0.6					
a55	0.4	0.6					
a56	0.4	0.6					
a57	0.4	0.6					
a58	0.4	0.6					
a59	0.4	0.6					
a60	0.4	0.6					
a61	0.4	0.6					
a62	0.4	0.6					
a63	0.4	0.6					
a64	0.4	0.6					
a65	0.4	0.6					
a66	0.4	0.6					
a67	0.4	0.6					
a68	0.4	0.6					
a69	0.4	0.6					
a70	0.4	0.6					
a71	0.4	0.6					
a72	0.4	0.6					
a73	0.4	0.6					
a74	0.4	0.6					
a75	0.4	0.6					
a76	0.4	0.6					
a77	0.4	0.6					
a78	0.4	0.6					
a79	0.4	0.6					
a80	0.4	0.6					
a81	0.4	0.6					
a82	0.4	0.6					
a83	0.4	0.6					
a84	0.4	0.6					
a85	0.4	0.6					
a86	0.4	0.6					
a87	0.4	0.6					
a88	0.4	0.6					
a89	0.4	0.6					
a90	0.4	0.6					
a91	0.4	0.6					
a92	0.4	0.6					
a93	0.4	0.6					
a94	0.4	0.6					
a95	0.4	0.6					
a96	0.4	0.6					
a97	0.4	0.6					
a98	0.4	0.6					
a99	0.4	0.6					
a100	0.4	0.6					

/ Marking Instructions

