

BRCO2600Series

Rev.A May.-2020

BRCO2600Series

CMC

- ◆ 40uVrms 10Hz
- ◆ 150mV@150mA
- ◆ 50uA
- ◆ 300mA
- ◆ 75dB@1kHz
- ◆
- ◆
- ◆ 2.0V~6.0V
- ◆ 1.2V~5.0V
- ◆ ±2%
- ◆
- ◆ SOT23-3/SOT23-5/SOT-89/

- ◆
- ◆
- ◆
- ◆
- ◆




! "



< E F I J ! " # " K + L ' (1) ' / + " M N / 1 / ' (L 1) 0 () ' " M % 1 P L " "


Temperature

Dropout Voltage vs. Load Current






Q R S T ! / Package Dimensions



Q R S T ! / Package Dimensions



Unit: mm																			
In Millimeters		Symbol		Dimensions In Millimeters		Dimensions In Millimeters		Symbol		Dimensions In Millimeters		Dimensions In Millimeters		Symbol		Dimensions In Millimeters		Dimensions In Millimeters	
Min	Max	Symbol	Min	Symbol	Max	Symbol	Max	Symbol	Min	Symbol	Max	Symbol	Max	Symbol	Min	Symbol	Max	Symbol	Max






Q R S T ! / Package Dimensions

Q R S T !

單位: mm



		Dimensione In Millimetri		Dimensione In Inches	
	Min	Max	Min	Max	
A	4.4	4.7	0.36	0.56	
B	2.5	2.8	0.10	0.12	
C	1.4	1.7	0.05	0.07	
D	1.4	1.7	0.05	0.07	
E	1.4	1.7	0.05	0.07	
F	1.4	1.7	0.05	0.07	
G	1.4	1.7	0.05	0.07	
H	1.4	1.7	0.05	0.07	
I	1.4	1.7	0.05	0.07	
J	1.4	1.7	0.05	0.07	
K	1.4	1.7	0.05	0.07	
L	1.4	1.7	0.05	0.07	
M	1.4	1.7	0.05	0.07	
N	1.4	1.7	0.05	0.07	
O	1.4	1.7	0.05	0.07	
P	1.4	1.7	0.05	0.07	
Q	1.4	1.7	0.05	0.07	
R	1.4	1.7	0.05	0.07	
S	1.4	1.7	0.05	0.07	
T	1.4	1.7	0.05	0.07	
U	1.4	1.7	0.05	0.07	
V	1.4	1.7	0.05	0.07	
W	1.4	1.7	0.05	0.07	
X	1.4	1.7	0.05	0.07	
Y	1.4	1.7	0.05	0.07	
Z	1.4	1.7	0.05	0.07	



BRCO2600Series

Rev.A May.-2020

Y Z [\] I J ! (^ _) / ` L 2 aL1/(%1L"b1*c)+L"c*1"de"eLc+* f "g*+hL1)&0i



- 1 25 150 60 90sec;
- 2 245±5 5±0.5sec;
- 3 2 10 /sec.

- Note:
- 1.Preheating:25~150 ,
 - 2.Peak Temp.:245±5 ,
 - 3. Cooling Speed: 2~10

k [l m n o p q / Resistance to Soldering Heat Test Conditions

260±5 10±1 sec. Temp.:260±5

r s t u / Packaging SPEC.

/ REEL

Package Type 封装形式	Units/Reel /	Reels/Inner Box /	Ur
! " # \$ % &	' (((&	) (&	

Package Type 封装形式	Units/Reel 只/卷盘	Reels/Inner Box 卷盘/盒	
SQ	1,000	7	

	Units/Reel /	Reels/Inner Box /	Uni
* + ,) -) # . / \$ 0 /	) (' (((&	) (&	)

v 7 W X / Notices