

/ Descriptions

MMETAL 2 1 0 4 1


/ Features

0 2 3 4  
H  
0 1 2 3 4


/ Applications

0 1 2 3 4 5 6 7 8 9

/ Equivalent Circuit



/ Pinning



X X X

/ Marking


0 1 2 3 4

| V <sub>GS</sub> |  | I <sub>N</sub> | V <sub>DS</sub> | D <sub>h</sub> |
|-----------------|--|----------------|-----------------|----------------|
|                 |  |                |                 |                |
|                 |  |                | ±               |                |
|                 |  |                |                 |                |
|                 |  |                |                 |                |




| ν Ω | γ N | Π : γ τ | ω η Θ | ε ζ Θ | ω z Θ | ρ υ |
|-----|-----|---------|-------|-------|-------|-----|
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     | Ω       |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |
|     |     |         |       |       |       |     |




/ Electrical Characteristic Curve



## / Electrical Characteristic Curve




/ Electrical Characteristic Curve



/ Package Dimensions



## / Marking Instructions



ب"خ

x

ᠬᠠᠭ ᠰᠤ ᠠᠨᠤ ᠤᠯᠤᠰ

Х Һ З N П

--- X

$$\mathbb{H} \cdot f \check{\eta}^N \Gamma_D \quad \text{I} \otimes \cdot f \check{\eta}^N \Psi \rho$$

l e i f ñ N ψ p

( ) / Temperature Profile for Dip Soldering(Pb-Free)

|  |
|--|
|  |
|  |
|  |
|  |
|  |
|  |

†

○ †

•

†

○ † ○

#>û 'UO